



INTRODUCTION



Waterproof



Insect prevention



Environmental protection



Flame-retardant



HD


It is based on nano bamboo wood fiber board. The whole picture can be completely printed on several wallboards through 3D printing, and it can be seamless and dense stitching. It can customize different personalized patterns and its flexibility are very popular by lots of people, and the diversity of installations has changed the traditional TV background wall.

Due to its low price, convenient and flexible installation, if you don't like the pattern after several years of use, you can remove it at any time and replace it with a new pattern. Install "3D Modular continuous painting background wall", you don't have to tear down the background wall at all, Direct modular installation can be completed within 1 day because it is simple and convenient. Its diverse styles and patterns are more suitable for you, especially for the young people.

Product advantages: environmental-friendly, antifouling, waterproof (washable), Class B1 fire proof, scratch resistant, mildew proof, moth proof, lightweight, fast installation, diverse patterns, custom colors.

Installation form: it can be used as a suspended background wall with light band to make it cooler! It can be pasted on the wall with aluminum alloy modeling line, cut into various shapes and splice various patterns.


Installation time: 1-2 carpenters, and the installation can be completed within one day.
Main ingredients: Nanofiber powder.



1. PET layer
2. 3D inkjet layer
3. Nanofiber layer



Real-time waterproof



Live bending

Name: 3D background wall

Length and width:

1200*2400 (mm)

1200*2800 (mm)

Single piece size within 1200 * 2800mm can be customized

Thickness: 8.5mm

Surface process: bright or matte

Environmental protection grade: ENF

Fire rating: B1

Bending installation process



Texture left and right infinite connection




COLOUR

Single piece size within 1200 * 2800mm can be customized



9001潘朵拉




9002亚马逊绿




希夏邦马

COLOUR


Single piece size within 1200 * 2800mm can be customized



9005纵横天涯




9006北国之巅




伊亚宝蓝

COLOUR


Single piece size within 1200 * 2800mm can be customized



9008潘多拉



9007张掖丹霞



9010卡地亚灰

COLOUR


Single piece size within 1200 * 2800mm can be customized



9011千堆雪



9012流云飞瀑




皓月千里

COLOUR

Single piece size within 1200 * 2800mm can be customized



9015南迦巴瓦




9016赛江南




如意万象

COLOUR


Single piece size within 1200 * 2800mm can be customized



9018干城章嘉




9019烟雨如雪



极地之灵

COLOUR


Single piece size within 1200 * 2800mm can be customized



9021云纱皓月




9022冰雪奇缘




灰色轨迹

COLOUR


Single piece size within 1200 * 2800mm can be customized



9024意大利云灰




9025马卡鲁




安娜普洱

COLOUR


Single piece size within 1200 * 2800mm can be customized



9027 玉龙雪山




9028 莫兰迪




莫奈山川

COLOUR

Single piece size within 1200 * 2800mm can be customized



9030北国风光




9031雪舞清风



9032阿拉斯加

COLOUR


Single piece size within 1200 * 2800mm can be customized



9033宝格丽紫



9035宝格丽红




9036宝格丽PRO

COLOUR


Single piece size within 1200 * 2800mm can be customized



9037 白金时代




9038 千山翠



9039 极地白昼

COLOUR


Single piece size within 1200 * 2800mm can be customized



9040罗浮魅影




9041苍山负雪



希恩达尔

COLOUR

Single piece size within 1200 * 2800mm can be customized



9043冰山美人



9045任逍遥



富春山居

WALL SYSTEM · wall panel





TRIM PANEL



Name: WPC wall panel

Material: Nanofiber powder

Length and width:

1220*2440(mm)

1220*2800(mm)

1220*Custom length(mm)

Thickness: 5mm&8mm

Density: 700kg/m³

Environmental protection grade: ENF

Fire rating: B1

Performance: waterproof&bendable

PHYSICAL PHOTOS

-  Waterproof
-  Insect prevention
-  Environmental protection
-  Flame-retardant



Thickness: 5mm&8mm



Bending and shaping



Waterproof and moisture-proof





1&4. Puttying and leveling
 2. Apply structural adhesive on the back
 3. Metal profile connection
 5. Rough wall



1. Apply structural adhesive on the back
 2. Metal profile connection
 3. Puttying and leveling



Corner slotting and bending

1. Slotting of trimming machine
 2. Hot air gun heating bending
 3. Apply structural adhesive on the back of the wall panel



Apply structural adhesive on the back

COLOUR - Metal series





BJX703



BJX701



BJX702




BJX705



BJX707



BJX706




BJX761



BJX762



BJX751




BJX752




BJX753




BJX754



BJX710




BJX711



BJX712



BJX901



BJX902

COLOUR - Wood grain series



COLOUR - Wood grain series

Thickness: 0.14~0.18mm



8006



81031



81033



81050



81051



8002



8066



81037



81032



8021



81017



8070



8007



8005



8008



81039



81041



81046



8058



81027



81003



8031



81009



81038

COLOUR - Wood grain series

Thickness: 0.14~0.18mm



81026



81012



81024



81010



8011



8032



8025



81005



81007



81013



81004



81015



81043



8022



8014



8004



8034



8059



81011



81045




8055



8036

COLOUR - Wood grain series

Thickness: 0.14~0.18mm



81001



81002



81029



81030



81025



8037



81008



8045



81018



8018



8023



8035



81028



8001




8009



8019



7001



7002




7005




7006

COLOUR - Solid color series






3021




3036




3001




3060



3038



3040



3022



3041




3042



3037



3002



3023




3033




3092



3064




3026



3017



3018



3081



3015



3016

COLOUR - Solid color series

Thickness: 0.14~0.18mm



31005



31002



31003



31006



31007



31009



3035




3062




3030




3082



3032




3029



3061



3083



3028



3063



3003



3065



COLOUR - Cloth pattern series

Thickness: 0.14~0.16mm



6062



6063



6001



6003



6004



6005



6009



6061




6014



6065



6066



COLOUR - PVC&Cloth Series

Thickness: 0.2mm



6027



6015



6016



6019



6021



6023



6024



6025



6029



6030



6032



6034



COLOUR - Stone series

Thickness: 0.16mm



5007



5004



5023



5018



5029



5003



5026



5010



5017



5020



51001



51003



INTRODUCTION



Waterproof



Insect prevention



Environmental protection



Flame-retardant



HD

SPC is the abbreviation of stone plastic composite material. It is not like composite wood, but more like composite stone.

The raw material of SPC is polyester vinyl resin, which is also call the PVC material. Moreover, it strengthens the performance of PVC material.

At the same time, it is extruded by T-shaped mold, which also avoids the internal layer coating and gluing, so its functions are more abundant, and it is non-toxic, formaldehyde free and zero pollution, With a series of characteristics such as renewable materials, even in the future, the SPC floor should be able to be recycled like plastic, which can reduce the cost of house decoration.



Name: SPC background wall


Length and width: Single piece size within 1200 * 3000mm can be customized

Thickness: 6mm

Surface process: bright or matte

Environmental protection grade: E0

Fire rating: B1



-
1. UV layer
 2. 3D inkjet layer
 3. SPC stone plastic
-

Elegant white

YB062



YB001



YB019



Elegant white

Single piece size within 1200 * 2800mm can be customized




YB001




YB003



YB005



YB009



YB018



YB019



YB027



YB037

Elegant white

Single piece size within 1200 * 2800mm can be customized




YB040



YB045



YB054



YB055



YB056





YB057



YB062

Warm color luxury stone



Warm color luxury stone

Single piece size within 1200 * 2800mm can be customized



YB008



YB017




YB033



YB041



YB043




YB061




YB063

Blue - green luxury stone



Blue - green luxury stone


Single piece size within 1200 * 2800mm can be customized



GK898



YB010



YB023




YB024



YB025

Blue - green luxury stone

Single piece size within 1200 * 2800mm can be customized




YB028



YB034



YB035




YB052



YB053

Gray marble



Gray marble

Single piece size within 1200 * 2800mm can be customized



YB002



YB006



YB032



YB044



YB046

Warm color luxury stone

Single piece size within 1200 * 2800mm can be customized




YB049




YB051



YB048



YB058



YB059



YB060

Ink stone grain



Ink stone grain

Single piece size within 1200 * 2800mm can be customized



YB030



YB039



YB301



YB302



YB303



YB036



YB038



YB304



YB305




YB306



YB307

Lauren black






YB042



YB007



YB020



YB021



YB022



FLUTED WALL PANEL

The wooden grid based on nano bamboo and wood fiber replaces the traditional wooden grid, which is more environmental friendly, moisture-proof and does not deform.

The traditional wooden grid will be moldy and deformed after it is used for a long time. The cost is very high and is not environmental friendly.

Now, the advantages of using nano bamboo and wood fiber material are: environmental protection, waterproof, moisture-proof, mildew proof, moth proof, no deformation, various colors, light, installed, clean, firm, durable and nice appearance.

It is very popular by lots of customers as soon as it accesses to the domestic and overseas market!



Waterproof



Insect prevention



Environmental protection




Flame-retardant

HOLLOW GRID PLATE




Name: 170 Hollow fluted wall panel



Length and width: 170*3000 (mm)
Thickness: 23.5mm
Environmental protection grade: E0
Fire rating: B1




Name: 100 Arc fluted wall panel



Length and width: 100*3000 (mm)
Thickness: 19.5mm
Environmental protection grade: E0
Fire rating: B1




Name: 157 Inner arc grille




Length and width: 157*3000 (mm)
Thickness: 18.5mm
Environmental protection grade: E0
Fire rating: B1




Name: 150 Arc fluted wall panel



Length and width: 150*3000 (mm)
Thickness: 15mm
Environmental protection grade: E0
Fire rating: B1




Name: 160 triangular grille



Length and width: 160*3000 (mm)
Thickness: 15mm
Environmental protection grade: E0
Fire rating: B1



Name: 115 Wave fluted wall panel




Length and width: 115*3000 (mm)
Thickness: 13mm
Environmental protection grade: E0
Fire rating: B1

SOLID GRID PLATE




Name: 153 * 24 solid fluted wall panel



Length and width: 153*3000 (mm)
Thickness: 24mm
Environmental protection grade: E0
Fire rating: B1




Name: 110 * 18 solid fluted wall panel



Length and width: 110*3000 (mm)
Thickness: 18mm
Environmental protection grade: E0
Fire rating: B1




Name: 40 Inner arc solid grille




Length and width: 40*3000 (mm)
Thickness: 15mm
Environmental protection grade: E0
Fire rating: B1




Name: 70 Inner arc solid grille




Length and width: 70*3000 (mm)
Thickness: 15mm
Environmental protection grade: E0
Fire rating: B1



Name: 120 * 9 solid fluted wall panel



Length and width: 120*3000 (mm)
Thickness: 9mm
Environmental protection grade: E0
Fire rating: B1




1&4. Puttying and leveling

2. Apply structural adhesive on the back

3. Male and female slot splicing or metal clip splicing

5. Rough wall



1. Apply structural adhesive on the back

2. Male and female slot splicing or metal clip splicing

3. Puttying and leveling

COLOUR - Metal series



COLOUR - Metal series

Thickness: 0.15mm




BJBX703



BJBX704

COLOUR - Wood grain series



COLOUR - Wood grain series

Thickness: 0.14~0.18mm



8006



81031



81033



81050



81051



8002



8066



81037



81032



8021



81017



8070



8007



8005



8008



81039



81041



81046



8058



81027



81003



8031



81009



81038

COLOUR - Wood grain series

Thickness: 0.14~0.18mm



81026



81012



81024



81010



8011



8032



8025



81005



81007



81013



81015



81043



8022



8014



8004



8034



8059



81011



81045



8055



8036

COLOUR - Wood grain series

Thickness: 0.14~0.18mm



81001



81002



81029



81030



81025



8037



81008



8045



81018



8018



8023



8035



81028



8009



8019



7001



7002



7005




7006

COLOUR - Solid color series




COLOUR - Solid color series


Thickness: 0.14~0.18mm



3021




3036




3001



3038



3040



3022



3041




3042




3037




3002



3023




3033




3092



3064




3026



3081



3015



3016

COLOUR - Solid color series

Thickness: 0.14~0.18mm



31005



31002



31003



31006



31007



31009



3035




3062




3030



3082



3032




3029



3061



3083



3028



3063



3003



3065



COLOUR - Cloth pattern series

Thickness: 0.14~0.16mm



6062



6063



6001



6003



6004



6005



6009



6061



6014



6065



6066



COLOUR - Stone series

Thickness: 0.16mm



5007



5004



5023



5018



5029



5003



5026



5010



5017



5020



51001






























51003

BAJAXED

Aluminum alloy
wallboard profile










5mm

Wall Panel Aluminum Alloy Fitting

Model name	Product Photo	Sectional View	Installation Drawing	Length (M/Piece)	color	Weight (KG/Piece)	Packing (PCS/CTN)	Price (\$/Piece)
5501 阳角				3m	black golden copper rose	0.275KG	100PCS	
5502 阴角				3m	black golden copper rose	0.24KG	200PCS	
5503 工字				3m	black golden copper rose	0.17KG	300PCS	
5504 收边				3m	black golden copper rose	0.17KG	300PCS	
5505 开口工字				3m	black golden copper rose	0.235KG	200PCS	
5507 平板踢脚线				3m	black golden copper rose	0.67KG	60PCS	
5513 小丁工字				3m	black golden rose	0.305KG	200PCS	
5521 阳角				3m	black golden copper	0.354KG	100PCS	
TJ60-5 踢脚线				3m	black golden copper	0.47KG	60PCS	

5mm

Wall Panel Light Strip Fitting

Model name	Product Photo	Sectional View	Installation Drawing	Length (M/Piece)	color	Weight (KG/Piece)	Packing (PCS/CTN)	Price (\$/Piece)
5510 侧面灯带线				3m	black golden copper	0.247KG	200PCS	
5512 中缝灯带线				3m	black golden copper	0.335KG	100PCS	
5506 灯带踢脚线				3m	black golden copper	0.77KG	60PCS	









8mm&9mm

Wall Panel Aluminum Alloy Fitting

Model name	Product Photo	Sectional View	Installation Drawing	Length (M/Piece)	color	Weight (KG/Piece)	Packing (PCS/CTN)	Price (\$/Piece)
8401 阳角				3m	black golden copper rose	0.28KG	100PCS	
8402 阴角				3m	black golden copper rose	0.275KG	200PCS	
H136 偏工字				3m	black golden copper rose	0.21KG	200PCS	
DH133 偏工字				3m	black golden copper	0.278KG	200PCS	
104-A 收边				3m	black golden copper	0.27KG	200PCS	
104-N 收边				3m	black golden copper rose	0.224KG	200PCS	
8405 V缝工字				3m	black golden copper	0.225KG	200PCS	
106-A 开口工字				3m	black golden copper	0.35KG	200PCS	
207-A 开口工字				3m	black golden copper	0.41KG	100PCS	
A101 阳角				3m	black golden copper	0.285KG	100PCS	
G96 踢脚板				3m	black golden copper rose	0.746KG	60PCS	
TJ60-9 踢脚板				3m	black golden copper	0.52KG	60PCS	
A118 阳角				3m	black golden copper	0.352KG	100PCS	
A02 阴角				3m	black golden copper	0.27KG	100PCS	

8mm&9mm

Wall Panel Light Strip Fitting

Model name	Product Photo	Sectional View	Installation Drawing	Length (M/Piece)	color	Weight (KG/Piece)	Packing (PCS/CTN)	Price (\$/Piece)
750 灯带线				3m	black golden copper	0.66KG	60PCS	
DH137 中缝灯带线				3m	black golden copper	0.55KG	100PCS	
D1023 侧面灯带线				3m	black golden copper	0.332KG	100PCS	